Page 2

IN THE CLAIMS

- 1. (Previously presented) A process for polymerizing one or more vinylically-unsaturated monomers to form a polymeric product, comprising: contacting said vinylically-unsaturated monomers with a chain transfer catalyst and a hydrogen atom donor molecule in the absence of conventional free radical initiators, at a temperature from about room temperature to about 240 °C.
- 2. (Currently amended) A process for polymerizing one or more vinylically-unsaturated monomers by contacting said vinylically-unsaturated monomers with a glyoximate-based cobalt chain transfer catalyst and a hydrogen gas in the absence of conventional free radical initiators, said process carried out at a temperature from about room temperature to about 240 °C, the catalyst is selected from hydrogen bridged bisglyoximate ligands.
- 3. (Currently amended) A process for polymerizing one or more vinylically-unsaturated monomers by contacting said vinylically-unsaturated monomers with a cobalt chain transfer catalyst and a hydrogen-gas in the absence of conventional free radical initiators, said process carried out at a temperature from about room temperature to about 240-°C, optionally in the presence of a solvent, The process of claim 1 or 2, said process further comprising the addition of an electron donor.
- 4. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein the temperature is from about 50°C to 150°C.
- 5. (Currently amended) The process of Claim 1 or 2 wherein the chain transfer catalyst is selected from the group consisting of cobalt(II) and cobalt(III) chelates and a mixture thereof.
- 6. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein said process is a batch process.
- 7. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein said process is a semi-batch or starved feed process.

Page 3

- 8. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein said process is a continuous process.
- 9. (Previously presented) The process of Claim 1, wherein the hydrogen atom donor is selected from dihydronaphthalene, silicon hydrides, tin hydrides, organometallic hydrides, benzylic alcohols, hydroquinones, alkyl ether hydroquinones, and benzhydrol.
- 10. (Previously presented) The process of Claim 9, wherein the hydrogen atom donor is dihydronaphthalene, triethylsilane, tributyltin hydride, hydroquinone, methyl ether hydroquinone, tetraethylcyclotetrasiloxane, methyldimethoxysilane, tetramethyldisiloxane, trimethylsilane, or benzhydrol.
- 11. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein the process is conducted in the presence of a solvent selected from the group consisting of ketones; alcohols; amides; aromatic hydrocarbons; ethylene glycol; glycol ethers, alkyl esters, mixed ester ethers; and mixtures thereof.
- 12. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein at least one monomer is selected from the group consisting of Class I monomers.
- 13. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein at least one monomer is selected from the group consisting of Class II monomers.
- 14. (Currently amended) The process of Claim 1 or 2, 2 or 3, wherein at least one monomer is selected from Class I and Class II.
- 15. (Currently amended) The process of claim 12 or 14 wherein the resulting product is terminally unsaturated.
- 16. (Currently amended) The process of Claim 1 or 2 or 3, wherein the hydrogen pressure is from 0.01 to 100 atmospheres.
- 17. (Currently amended) The process of Claim <u>1 or 2 er 3</u>, wherein the hydrogen pressure is from 1 to 10 atmospheres.

Page 4

- 18. (Canceled)
- 19. (Canceled)
- 20. (Previously presented) A product produced by the process of Claim 1_{τ} or 2 er 3.
- 21. (Currently amended) A <u>finished product comprising a</u> product of Claim 20, <u>said finished product</u> selected from: non-metallic chain transfer agents, non-aqueous dispersed polymers, block copolymers, microgels, star polymers, branched polymers, structured polymers and ladder polymers.
- 22. (Currently amended) A finished product comprising a product of Claim 20, said finished product selected from: non architectural coatings; automotive finishes, including high solids, aqueous and solvent-based finishes; high-build maintenance finishes and other paints; printing inks including ink jet inks and UV/EB curable inks; multilayer coatings; varnishes; crosslinking agents; defoamers; deaeraters; wetting agents; substrate wetting additives; surface control additives; reactive surface control additives; hydrophobing agents; antigraffiti agents; nucleating agents; personal care products; masks for screen printing; dental filling materials; adhesives; lubricants; oil drilling fluids; adhesion promoters; coupling agents; dispersants; grinding agents; solder masks; tackifiers; leveling agents; artificial stone and marble; impact modifiers; compatibilizers; plasticizers; caulks; sealants; drug delivery agents; electronic materials; processing aids; antistatics; softeners; antioxidants; UV stabilizers; dispersion media; release agents; ion exchange resins of and membranes; molded objects; extruded objects; chain transfer reagents; photopolymerizable materials; and etch or permanent resists for printed electronic circuits.
- 23. (Currently amended) A product of Claim 20- finished product of claim 22 selected from: non polyurethanes, polyurethane foams, polyurethane adhesives and polyurethane finishes.
- 24. (Currently amended) The process of claim 1 or 2, wherein said process is carried out in the presence of a solvent.

Page 5

- 25. (Previously presented) The process of claim 11, wherein said ketone is selected from acetone, butanone, pentanone and hexanone.
- 26. (Previously presented) The process of claim 11, wherein said alcohol is isopropanol.
- 27. (Previously presented) The process of claim 11, wherein said amide is dimethyl formamide.
- 28. (Currently amended) The process of claim 11, wherein said aromatic hydrocarbon is selected from toluene and zylene <u>xylene</u>.
- 29. (Currently amended) The process of claim 11, wherein said ether is selected from tetrahydrofuran and diethyle diethyl ether.
- 30. (Currently amended) The process of claim 11, wherein the mixed ester ether is a monoalkyl ether monoalkanoate.
- 31. (New) The process of claim 1 or 2, wherein the catalyst is a glyoximato-based cobalt chain transfer catalyst.
- 32. (New) The process of claim 1 or 2, wherein the catalyst is selected from hydrogen bridged bisglyoximato ligands.
- 33. (New) The process of claim 1 or 2, wherein said process is carried out in the presence of an electron donor.